



# 200W Solar Blanket Folding Solar Blanket

## **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-NB200M
 Minimum Order Quantity: 100PCS
 Packaging Details: 1pcs/carton
 Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



## **Product Specification**

Product Name: Solar Folding Bag

• Color: Blue

Solar Cell: Monocrystalline Cell

• Application: Fishing, Camping, Picnics, And Hiking

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):540\*570\*40mm
Product Dimension(Open): 2250\*540\*5mm

• Highlight: blue portable Solar Folding Bag,

Fishing Solar Folding Bag, Camping solar system back pack



## More Images





## 200W Solar Blanket Folding Solar Blanket

The 200W Blue Portable Solar Cloth Bag with Bracket is perfect for camping and fishing. It features high-efficiency monocrystalline solar cells for optimal power output. The lightweight, foldable design ensures easy carrying and storage, while the included bracket allows for quick setup and maximum sunlight exposure. Ideal for charging 12V batteries, phones, and portable power stations, it provides reliable, eco-friendly power on the go. Durable and weather-resistant, this solar cloth bag is an essential companion for all your outdoor adventures.

### **Product Features:**

### 1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

### 2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

#### 3) Fast charging

Professional design for mobile energy storage, high current charging faster.


### **Product Details:**

Model	LS-NB200M
Maximum Power(Pmax)	150W (4x50W)
Maximum Power Voltage(Vmp)	18.4V
Maximum Power Current(Imp)	10.87A
Open Circuit Voltage(Voc)	22.8V
Short Circuit Current(Isc)	11.62A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	Product Dimension(Folded):540*570*40mm Product Dimension(Open):2250*540*5mm
Weight(KGS)	8kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C











Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?
A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



## Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China