



Lightweight Solar Panels Best Portable Solar Panels For **Camping**

Basic Information

. Place of Origin: China . Brand Name: Linksun CE · Certification:

LS-B120M Model Number: • Minimum Order Quantity: 100PCS Packaging Details: 1pcs/carton . Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

. Supply Ability: 1000pieces per week









Product Specification

• Product Name: Solar Folding Bag Solar Cell: Monocrystalline Cell

. Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.


Warranty: 5 Years IP65 • Protection Class:

 Product Dimension(Folded):420*430*50mm • Product Dimension(Open): 1310*840*5mm

. Highlight: 120w solar hiking backpack,

solar hiking backpack Monocrystalline cell,

120 Watt solar cell backpack





More Images





Lightweight Solar Panels Best Portable Solar Panels For Camping

The 120W Portable Solar Foldable Bag is perfect for outdoor enthusiasts. Featuring high-efficiency monocrystalline solar cells, it ensures maximum power output. Lightweight and compact, this foldable design is easy to carry and store. Ideal for charging 12V batteries, phones, and portable power stations, it offers reliable and eco-friendly power on the go. Durable construction ensures performance in various weather conditions, making it an essential companion for camping, hiking, and travel.

Product Features:

1) Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.


3) Fast charging

professional design for mobile energy storage, high current charging faster.


Product Details:

Model	LS-B120M
Maximum Power(Pmax)	120W (6x20W)
Maximum Power Voltage(Vmp)	20.52V
Maximum Power Current(Imp)	5.85A
Open Circuit Voltage(Voc)	24.01V
Short Circuit Current(Isc)	6.26A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	Product Dimension(Folded):420*430*50mm
	Product Dimension(Open):1310*840*5mm
Weight(KGS)	5.2kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C















FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

LIINKSUN

Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



@ monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China