




## 120w Portable Solar Panel Folding Solar Panel For Outdoor Activities

### Our Product Introduction

for more products please visit us on [monosolarpanel.com](http://monosolarpanel.com)


#### Basic Information

- Place of Origin: China
- Brand Name: Linksun
- Certification: CE
- Model Number: LS-NB120M
- Minimum Order Quantity: 100PCS
- Packaging Details: 1pcs/carton
- Delivery Time: 5-8days
- Payment Terms: 30% TT in advance, 70% balance before delivery.
- Supply Ability: 1000pieces per week




#### Product Specification

- Product Name: Solar Folding Bag
- Solar Cell: Monocrystalline Cell
- Application: Fishing, Camping, Picnics, And Hiking, Including On Yachts And RVs.
- Warranty: 5 Years
- Protection Class: IP65
- Product Dimension(Folded): 425\*430\*45mm
- Product Dimension(Open): 1305\*840\*5mm
- Highlight: 120w Portable Solar Folding Bag, Outdoor Activities Portable Solar Folding Bag



#### More Images



# 120w Portable Solar Panel Folding Solar Panel For Outdoor Activities



The 120W Portable Solar Folding Bag is designed for outdoor activities, providing reliable power on the go. Lightweight and compact, it easily folds for transport and storage. With high-efficiency monocrystalline panels, it ensures maximum power output. Ideal for charging 12V batteries, phones, and portable power stations, it's perfect for camping, hiking, and travel. Durable construction withstands various weather conditions, making it an essential companion for any outdoor adventure.

Product Features:

- 1)High Efficiency:  
Utilizes monocrystalline solar cells for maximum power conversion and efficiency.
- 2)Portable and Lightweight:  
Compact design easily folds for transport and storage, making it ideal for outdoor activities.
- 3)Durable Construction:  
Built with robust materials to withstand various weather conditions, ensuring reliability and longevity.

Product Details:

Model	LS-NB120M
Maximum Power(Pmax)	120W (4x30W)
Maximum Power Voltage(Vmp)	18.70V
Maximum Power Current(Imp)	6.42A
Open Circuit Voltage(Voc)	23.3V
Short Circuit Current(Isc)	6.86A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	Product Dimension(Folded):545*420*20mm Product Dimension(Open):1693*545*5mm
Weight(KGS)	4kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C



#### FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



**Ningbo Linksun Energy Science & Technology Co., LTD**



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China