



# 120W Outdoor Portable Linksun Folding Solar Panels

### **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-NB120M
 Minimum Order Quantity: 100PCS
 Packaging Details: 1pcs/carton
 Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



# **Product Specification**

Product Name: Solar Folding BagSolar Cell: Monocrystalline Cell

• Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):425\*430\*45mm
Product Dimension(Open): 1305\*840\*5mm


• Highlight: 120W Solar Folding Bag,

Outdoor Portable Solar Folding Bag,

Linksun Solar Folding Bag



# More Images



# 120W Outdoor Portable Linksun Folding Solar Panels

The Outdoor Portable Linksun 120W Mono Solar Folding Panel Bag is your perfect companion for outdoor activities. Featuring high-efficiency monocrystalline cells, it ensures optimal power output. Lightweight and foldable, it's easy to carry and store. Ideal for camping, hiking, and travel, it charges 12V batteries, phones, and portable power stations. Durable construction withstands various weather conditions, providing reliable power on the go. Enjoy eco-friendly energy wherever your adventures take you.

#### **Product Features:**

#### 1) High Efficiency Monocrystalline Cells:

Efficiency: Monocrystalline cells offer high efficiency, often around 18-22%, ensuring maximum power output from a compact panel size.

2) Durability: These cells are durable and perform better in low-light conditions compared to other types.

#### 3) Portable and Foldable Design:


Foldable Panels: The solar panel can be folded down into a smaller size for easy transportation and storage.

Compact Size: When folded, the panel fits neatly into the accompanying bag, making it convenient for travel.

#### **Product Details:**

	101101001
Model	LS-NB120M
Maximum Power(Pmax)	120W (4x30W)
Maximum Power Voltage(Vmp)	18.70V
Maximum Power Current(Imp)	6.42A
Open Circuit Voltage(Voc)	23.3V
Short Circuit Current(Isc)	6.86A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	Product Dimension(Folded):545*420*20mm
	Product Dimension(Open):1693*545*5mm
Weight(KGS)	4kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C

# **COMPACT & POWERFUL**







#### FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



### Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China