



120W Monocrystalline Solar Folding Solar Panels With Bracket Perfect For **Outdoor Camping**

Basic Information

. Place of Origin: China . Brand Name: Linksun CE · Certification:

LS-NB120M Model Number: • Minimum Order Quantity: 100PCS Packaging Details: 1pcs/carton . Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

. Supply Ability: 1000pieces per week







Product Specification

• Product Name: Solar Folding Bag Solar Cell: Monocrystalline Cell

. Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

Warranty: 5 Years • Protection Class: IP65

 Product Dimension(Folded):425*430*45mm • Product Dimension(Open): 1305*840*5mm

120W Solar Folding Bag, • Highlight:

Outdoor Camping Solar Folding Bag,

Bracket Solar Folding Bag



More Images



120W Monocrystalline Solar Folding Solar Panels With Bracket Perfect For Outdoor Camping

The 120W Monocrystalline Solar Folding Bag is perfect for outdoor camping and adventures. Equipped with high-efficiency monocrystalline solar cells, it ensures maximum power output. Lightweight and foldable, it is easy to carry and store. Ideal for charging 12V batteries, phones, and portable power stations, its durable construction withstands various weather conditions. Enjoy reliable, eco-friendly energy on the go, making it an essential companion for your outdoor activities.

Product Features:

- 1. Portable Design: The solar panel is often foldable or designed to be compact, making it easy to transport. The accompanying bag usually has handles or straps for carrying.
- 2. High Efficiency: The panel uses high-efficiency monocrystalline or polycrystalline solar cells to maximize energy conversion from sunlight.
- 3. **Durability**: Made with robust materials to withstand outdoor conditions, including water-resistant or weatherproof fabric for the bag and rugged construction for the panel.
- 4. Compatibility: Designed to be compatible with various devices and power stations, often including adapters and cables to connect to different input ports.
- 5. Smart Charging Technology: Features such as MPPT (Maximum Power Point Tracking) controllers or smart charging algorithms to optimize power output and efficiency.

Product Details:

Model	LS-NB120M
Maximum Power(Pmax)	120W (4x30W)
Maximum Power Voltage(Vmp)	18.70V
Maximum Power Current(Imp)	6.42A
Open Circuit Voltage(Voc)	23.3V
Short Circuit Current(Isc)	6.86A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	Product Dimension(Folded):425*430*45mm
	Product Dimension(Open):1305*840*5mm
Weight(KGS)	4kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China