



# 10W Folding Solar Blanket For Camping Small Solar Blanket

### **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-NB200M
 Minimum Order Quantity: 100PCS
 Packaging Details: 1pcs/carton
 Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



# **Product Specification**

Product Name: Solar Folding Bag

• Color: Blue

Solar Cell: Monocrystalline Cell

Application: Fishing, Camping, Picnics, And Hiking

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):540\*570\*40mm
Product Dimension(Open): 2250\*540\*5mm

• Highlight: 10W Solar Cloth Bag, Fishing Solar Cloth Bag,

**Camping Solar Cloth Bag** 



# More Images



# 10W Folding Solar Blanket For Camping Small Solar Blanket

The 10W Solar Cloth Bag is ideal for camping and fishing, offering a reliable solution for your charging needs. This portable and lightweight bag features a durable design, ensuring long-lasting use in various outdoor conditions. The integrated 10W solar panel efficiently converts sunlight into energy, keeping your devices powered up. Its versatile bracket allows for easy attachment to tents, backpacks, or other surfaces. Perfect for adventurers, this solar cloth bag ensures you stay connected and powered on the go.

#### **Product Features:**

#### 1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

#### 2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

#### 3) Fast charging

Professional design for mobile energy storage, high current charging faster.

#### **Product Details:**

Model	LS-NB10M
Maximum Power(Pmax)	10W
Maximum Power Voltage(Vmp)	18V
Maximum Power Current(Imp)	0.56A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	0.59A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	215*310*2.5
Weight(KGS)	0.25kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





#### FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



# Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China