

20W Solar USB Charge Portable Solar Panel

Our Product Introduction

for more products please visit us on monosolarpanel.com

Basic Information

- Place of Origin: China
- Brand Name: Linksun
- Certification: CE
- Model Number: LS-NB200M
- Minimum Order Quantity: 100PCS
- Packaging Details: 1pcs/carton
- Delivery Time: 5-8days
- Payment Terms: 30% TT in advance, 70% balance before delivery.
- Supply Ability: 1000pieces per week



Product Specification

- Product Name: Solar Folding Bag
- Color: Blue
- Solar Cell: Monocrystalline Cell
- Application: Fishing, Camping, Picnics, And Hiking
- Warranty: 5 Years
- Protection Class: IP65
- Product Dimension(Folded): 540*570*40mm
- Product Dimension(Open): 2250*540*5mm
- Highlight: Convenient Solar Cloth Bag,
20W Solar Cloth Bag,
Outdoor Charging Solar Cloth Bag



More Images



Product Description

20W Solar USB Charge Portable Solar Panel

The 20W Solar Cloth Bag Bracket is the ultimate solution for convenient and hassle-free outdoor charging. Perfect for camping, fishing, hiking, and other outdoor activities, this bag combines portability with powerful performance. Its 20W solar panel efficiently harnesses sunlight, converting it into reliable energy to keep your devices charged. Made from durable, weather-resistant materials, the solar cloth bag is designed to withstand various outdoor conditions, ensuring longevity and reliability.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance


Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.


3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB20M
Maximum Power(Pmax)	20W
Maximum Power Voltage(Vmp)	18V
Maximum Power Current(Imp)	1.12A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	1.2A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	440*310*2.5
Weight(KGS)	0.5kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C



**FAQ:**

Q1:What's the solar panels warranty?

A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China