



100W Excellent Waterproof 100W Solar Blanket Best Folding Solar Blanket

Basic Information

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-NB150M
 Minimum Order Quantity: 100PCS
 Packaging Details: 1pcs/carton
 Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



Product Specification

Product Name: Solar Folding Bag

• Color: Blue

Solar Cell: Monocrystalline CellApplication: Fishing, Camping, Picnics

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):540*570*25mm
Product Dimension(Open): 1660*540*5mm

• Highlight: Waterproof Solar Cloth Bag,

100W Solar Blanket, 100W Solar Cloth Bag



More Images



100W Excellent Waterproof 100W Solar Blanket Best Folding Solar Blanket

The 100W Solar Cloth Bag is an excellent waterproof solar blanket designed for outdoor enthusiasts. With its high-efficiency 100W solar cells, it provides robust power for charging multiple devices. Lightweight and foldable, it is easy to carry and store. Its durable, waterproof fabric ensures reliable performance in all weather conditions, making it perfect for camping, hiking, and other outdoor adventures. Stay connected and powered up wherever you go.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB100M
	1 11
Maximum Power(Pmax)	100W
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	4.96A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	5.31A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1260*540*5
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C







FAQ:

Q1:What's the solar panels warranty?

 $A: 5 \ year's \ warranty. If you have \ any \ questions \ about \ our \ quality \ during \ use, you \ can \ contact \ us \ at \ any \ time.$

Q2:Do you accept OEM/ODM orders?
A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported? A:We can export to all over the world.

LIINKSUN

Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



@ monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China