

100W Portable solar blanket for camping with bracket

Basic Information

- Place of Origin:
- Brand Name:

China

Linksun

LS-NB150M

Solar Folding Bag

Monocrystalline Cell

Blue

5 Years

IP65

CE

- Certification:
- Model Number:
- Minimum Order Quantity: 100PCS
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1pcs/carton 5-8days 30% TT in advance, 70% balance before delivery. 1000pieces per week



Product Specification

- Product Name:
- Color:
- Solar Cell:
- Application: Fishing, Camping, Picnics
- Warranty:
- Protection Class:
- Product Dimension(Folded):540*570*25mm
- Product Dimension(Open): 1660*540*5mm
- Highlight: Bracket Portable solar blanket





100W Portable solar blanket for camping with bracket

The 100W Portable Solar Blanket for Camping with Bracket is a versatile, foldable solar panel designed for outdoor use. It features highefficiency monocrystalline cells, providing reliable power to charge devices like smartphones, tablets, and portable batteries. The included adjustable bracket allows for optimal sun positioning, enhancing energy output. Lightweight, water-resistant, and easy to set up, it's perfect for camping, hiking, or emergency power needs. With USB and DC outputs, it offers flexible charging options. The compact design and carrying bag make it a convenient and portable solution for off-grid adventures.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB100M
Maximum Power(Pmax)	100W
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	4.96A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	5.31A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1260*540*5
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





FAQ:

Q1:What's the solar panels warranty? A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders? A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company? A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported? A:We can export to all over the world.

Ningbo Linksun Energy Science & Technology Co., LTD
+8615888168085
sales02@zjlinksun.com
monosolarpanel.com
2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China