




## 60W Portable solar blanket for camping with bracket

### Our Product Introduction

for more products please visit us on [monosolarpanel.com](http://monosolarpanel.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Linksun
- Certification: CE
- Model Number: LS-NB150M
- Minimum Order Quantity: 100PCS
- Packaging Details: 1pcs/carton
- Delivery Time: 5-8days
- Payment Terms: 30% TT in advance, 70% balance before delivery.
- Supply Ability: 1000pieces per week



#### Product Specification

- Product Name: Solar Folding Bag
- Color: Blue
- Solar Cell: Monocrystalline Cell
- Application: Fishing, Camping, Picnics
- Warranty: 5 Years
- Protection Class: IP65
- Highlight: 60W Portable solar blanket



# 60W Portable solar blanket for camping with bracket

The 60W Portable Solar Blanket for Camping is a lightweight, foldable solar charging solution designed for outdoor enthusiasts. It features high-efficiency solar panels, delivering up to 60 watts of power to charge devices like phones, tablets, and portable batteries. The included adjustable bracket allows for optimal sun exposure, while its durable, water-resistant design ensures reliability in various weather conditions. Perfect for camping, hiking, or emergencies, this solar blanket is an eco-friendly and convenient power source for your adventures.

**Product Features:**

**1)Folding, outdoor portable more convenient.**

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

**2) Good waterproof performance**

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

**3) Fast charging**

Professional design for mobile energy storage, high current charging faster.

**Product Details:**

Model	LS-NB60M
Maximum Power(Pmax)	60W
Maximum Power Voltage(Vmp)	18.2V
Maximum Power Current(Imp)	3.3A
Open Circuit Voltage(Voc)	22.7V
Short Circuit Current(Isc)	3.53A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	835*545*5
Weight(KGS)	3kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





---

**FAQ:**

Q1:What's the solar panels warranty?

A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



**Ningbo Linksun Energy Science & Technology Co., LTD**



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China