

60W foldable solar blanket for camping with bracket

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 100PCS 1pcs/carton 5-8days 30% TT in advance, 70% balance before delivery. 1000pieces per week



Product Specification

- Product Name:
- Color:
- Solar Cell:
- Application:
- Warranty:
- Protection Class:
- Highlight:

Solar Folding Bag

Blue

China

CE

Linksun

LS-NB150M

- Monocrystalline Cell
- Fishing, Camping, Picnics
- 5 Years

- IP65 60W foldable solar blanket, Foldable Solar Blanket with Bracket,

60W Foldable Solar Blanket





60W foldable solar blanket for camping with bracket

This 60W foldable solar blanket with a bracket is designed for camping, featuring high-efficiency monocrystalline solar cells for reliable power generation. The adjustable bracket ensures optimal sun exposure for maximum energy absorption. Its lightweight, compact, and foldable design allows for easy transport and storage, making it ideal for outdoor adventures, RV trips, and emergency power backup. Equipped with USB and DC output ports, it can charge smartphones, tablets, laptops, and other small devices. Made from durable, waterproof materials, it delivers stable performance in various weather conditions, ensuring a dependable power solution for outdoor enthusiasts.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB60M
Maximum Power(Pmax)	60W
Maximum Power Voltage(Vmp)	18.2V
Maximum Power Current(Imp)	3.3A
Open Circuit Voltage(Voc)	22.7V
Short Circuit Current(Isc)	3.53A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	835*545*5
Weight(KGS)	3kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





FAQ:

Q1:What's the solar panels warranty? A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders? A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company? A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported? A:We can export to all over the world.

Ningbo Linksun Energy Science & Technology Co., LTD
+8615888168085
sales02@zjlinksun.com
monosolarpanel.com
2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China