



Monocrystalline Cell 200W Solar Blanket for Camping and Outdoor Activities

Basic Information

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-B200M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



Product Specification

Product Name: Solar Folding Bag

• Color: Black

Solar Cell: Monocrystalline Cell

• Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):1900*845*5mm

Highlight: Camping Solar Blanket 200W,

Outdoor Activities Solar Blanket,

200W Solar Blanket



200W solar blanket for camping

The 200W solar blanket for camping is a lightweight, portable, and efficient power solution designed for outdoor enthusiasts. It features high-efficiency solar panels that can generate up to 200 watts of power, ideal for charging devices like smartphones, tablets, and portable batteries. The blanket is foldable, water-resistant, and durable, making it perfect for various weather conditions. With built-in USB ports and a compact design, it's easy to carry and set up, ensuring you stay powered during your camping adventures. This eco-friendly energy source is a must-have for off-grid trips and emergency situations.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance


Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-B200M
Maximum Power(Pmax)	200W (8x25W)
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	9.91A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	10.59A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1900*845*5mm
Weight(KGS)	7.5kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C







FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China