



# Monocrystalline Cell 100W Solar Blanket For Camping Adventures

### **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-NB150M
 Minimum Order Quantity: 100PCS
 Packaging Details: 1pcs/carton
 Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



# **Product Specification**

• Product Name: Solar Folding Bag

• Color: Blue

Solar Cell: Monocrystalline CellApplication: Fishing, Camping, Picnics

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):540\*570\*25mm
 Product Dimension(Open): 1660\*540\*5mm
 Highlight: 100W Solar Blanket,

Camping Adventures Solar Blanket, Monocrystalline Cell Solar Blanket



# 100W solar blanket for camping

The 100W solar blanket for camping is a compact, lightweight, and portable power solution tailored for outdoor adventures. It features high-efficiency solar panels capable of generating up to 100 watts, perfect for charging small devices like smartphones, cameras, and portable batteries. Designed to be foldable, water-resistant, and durable, it performs well in various weather conditions. With built-in USB ports and an easy-to-carry design, it's simple to set up and use, ensuring reliable power during camping trips. This eco-friendly solar blanket is an essential tool for off-grid travel and emergency power needs.

#### **Product Features:**

#### 1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

#### 2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

#### 3) Fast charging

Professional design for mobile energy storage, high current charging faster.

#### **Product Details:**

Model	LS-NB100M
Maximum Power(Pmax)	100W
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	4.96A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	5.31A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1260*540*5
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C







## FAQ:

Q1:What's the solar panels warranty?

 $A: 5 \ year's \ warranty. If you have \ any \ questions \ about \ our \ quality \ during \ use, you \ can \ contact \ us \ at \ any \ time.$ 

Q2:Do you accept OEM/ODM orders?
A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported? A:We can export to all over the world.

# LIINKSUN

## Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



@ monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China