



# Solar Cell Monocrystalline Cell 200W Solar Blanket for Camping IP65 Protection Class

## **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-B200M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



# **Product Specification**

Product Name: Solar Folding Bag

• Color: Black

Solar Cell: Monocrystalline Cell

• Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):1900\*845\*5mm

• Highlight: Camping Solar Blanket, IP65 Solar Blanket,

200W Solar Blanket



# 200W solar blanket for camping

The 200W Portable Solar Blanket for Camping is a high-performance, foldable solar panel designed for outdoor adventures. It features premium monocrystalline cells, delivering efficient power to charge multiple devices like laptops, phones, cameras, and portable batteries. Equipped with USB, DC, and Anderson outputs, it offers versatile charging options. Lightweight, durable, and water-resistant, it's easy to set up and perfect for camping, RV trips, or emergencies. The compact design includes a carrying bag for portability, making it an essential power solution for off-grid exploration.

#### **Product Features:**

#### 1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

#### 2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

#### 3) Fast charging

Professional design for mobile energy storage, high current charging faster.

#### **Product Details:**

Model	LS-B200M
Maximum Power(Pmax)	200W (8x25W)
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	9.91A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	10.59A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1900*845*5mm
Weight(KGS)	7.5kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





#### FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



### Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China